Distributer:
Daljinsko upravljanje d.o.o.o
B.Smetane 10, HR-10000 Zagreb
Tel: 01/388 6677 i 01/388 0247
E-mail: daljinsko-upravljanje@inet.hr

www.daljinsko-upravljanje.hr

RUNPOTEC CJENIK važaći od 01-03-2023			
Šifra art.	**Opis artikla**	**Detaljni opis artikla**	**Veleprodajna cijena EUR (bez PDV-a)**
Napomena: posebne kataloške cijene			
10136	X BOARD Profi-cable roller XB 500	X BOARD XB 500 - universal profi-cable roller, special plastic, Ø 500 mm/19,6850 in., drum width variable, Loadable up to 800 kg/1764 lbs.	234.00
11120	Profi-Set Ø 4,5 mm 60 m + RUNPO 5 30 m	Profi-Set Fiberglass rod Ø 4,5 mm - 60 m/196,85 ft. + RUNPO 5 - 30 m/98,43 ft. - cable pulling system, Total breaking load Profi-Set: 220 kg/485 lbs., Total breaking load RUNPO 5: 270 kg/595 lbs.	399.00
11137	RUNPOCAM RC2 30 m + RUNPOSTICKS Comfort	RUNPOCAM RC 2 - 30 m/1,1811 in. + RUNPOSTICKS Comfort Set 19-parts - Multifunction camera + cable pulling aid for not guided pipelines in storage bag	643.00
20522	Cable lubricant foam 400 ml	Cable lubricant foam, 400 ml, can with fold-out special attachment (spray over a large area and precisely) non-flammable	7.10
20523	Cable lubricant spray 400 ml	Cable lubricant spray, 400 ml, can with fold-out special attachment (spray over a large area and precisely) non-flammable	8.20
30064	Cable lubricant GEL 1000 g	Calbe lubricant GEL, 1000 g, non-flammable	8.90
30467	Cable lubricant GEL 250 g	Calbe lubricant GEL, 250 g, non-flammable	4.40
Ostali artikli iz kataloga			
10000	Cable pulling tool RT2008+15m MET Spiral	RT 2008 cable pulling device incl. RUNPOGLIDER Spiral MET Ø 4 mm/0,1575 in. cable pulling fish tape, Length: 15 m/49,21 ft. in RUNPOTEC system case	299.00
10013	RUNPO 5 - Profi cable pulling system 20m	RUNPO 5 - Profi cable pulling system - Length: 20 m/65,62 ft., triple twisted special plastic fish tape Ø 5,3 mm/0,2087 in. - 270 kg/595 lbs. total breaking load, stowed in plastic box	140.00
10014	RUNPO 5 - Profi cable pulling system 30m	RUNPO 5 - Profi cable pulling system - Length: 30 m/98,43 ft., triple twisted special plastic fish tape Ø 5,3 mm/0,2087 in. - 270 kg/595 lbs. total breaking load, stowed in plastic box	162.00
10016	RUNPOSTICKS Standard-Set - (17-parts)	RUNPOSTICKS Standard-Set, cable pulling aids for not guided pipelines, 17-parts, basalt rods, plastic-coated, stowed in storage bag	119.00
10020	RUNPOSTICKS Comfort-Set - (19-parts)	RUNPOSTICKS Comfort-Set, cable pulling aids for not guided pipelines, 19-parts, basalt rods, plastic-coated, stowed in storage bag	139.00
10042	RUNPOSTICKS accessories set (5-parts)	RUNPOSTICKS accessories set, cable pulling aid, 5-part, thread RTG Ø 6 mm	24.00
10043	RUNPOSTICKS Yellow (soft) - 2 x 1 m	RUNPOSTICKS yellow (soft) - cable pulling aid for not guided pipelines, Length: 2 x 1 m/3,28 ft., Ø 4,5 mm/0,1772 in. basalt rods, thread RTG Ø 6 mm	19.00
10044	RUNPOSTICKS Black (medium) - 2 x 1 m	RUNPOSTICKS black (medium) - cable pulling aid for not guided pipelines, Length: 2 x 1 m/3,28 ft., Ø 5,5 mm/0,2165 in. basalt rods, thread RTG Ø 6 mm	20.00
10045	RUNPOSTICKS Red (hard) - 2 x 1 m	RUNPOSTICKS red (hard) - cable pulling aid for not guided pipelines, Length: 2 x 1 m/3,28 ft., Ø 7,5 mm/0,2953 in. basalt rods, thread RTG Ø 6 mm	20.00
10047	Profi-Set fiberglass rod Ø 4,5 mm - 60 m	Profi-Set - fiberglas rod Ø 4,5 mm/0,1772 in. - thread RTG Ø 6 mm, cable pulling tool, Length: 60 m/196,85 ft., steel reel Ø 330 mm/12,9921 in. incl. double run-out system, fiberglass rod breaking load 1300 kg/2866 lbs.	331.00
10048	Standard-Set fiberglass rod Ø 4,5mm -60m	Standard-Set fiberglass rod Ø 4,5 mm/0,1772 in. - thread RTG Ø 6 mm, cable pulling tool, Length: 60 m/196,85 ft., steel reel Ø 330 mm/12,9921 in. incl. double run-out system, fiberglass rod breaking load 1300 kg/2866 lbs.	261.00
10050	Profi-Set fiberglass rod Ø 4,5 mm - 80 m	Profi-Set - fiberglas rod Ø 4,5 mm/0,1772 in. - thread RTG Ø 6 mm, cable pulling tool, Length: 80 m/262,47 ft., steel reel Ø 330 mm/12,9921 in. incl. double run-out system, fiberglass rod breaking load 1300 kg/2866 lbs.	384.00
10051	Standard-Set fiberglass rod Ø 4,5mm -80m	Standard-Set fiberglass rod Ø 4,5 mm/0,1772 in. - thread RTG Ø 6 mm, cable pulling tool, Length: 80 m/262,47 ft., steel reel Ø 330 mm/12,9921 in. incl. double run-out system, fiberglass rod breaking load 1300 kg/2866 lbs.	315.00

Distributer:
Daljinsko upravljanje d.o.o.o
B.Smetane 10, HR-10000 Zagreb
Tel: 01/388 6677 i 01/388 0247
E-mail: daljinsko-upravljanje@inet.hr

www.daljinsko-upravljanje.hr

daljinsko upravljanje

RUNPOTEC
STRONGEST CABLE PULLING

RUNPOTEC CJENIK važaći od 01-03-2023			
Šifra art.	**Opis artikla**	**Detaljni opis artikla**	**Veleprodajna cijena EUR (bez PDV-a)**
10052	Profi-Set fiberglass rod Ø 4,5 mm - 30 m	Profi-Set - fiberglas rod Ø 4,5 mm/0,1772 in. - thread RTG Ø 6 mm, cable pulling tool, Length: 30 m/98,43 ft., steel reel Ø 330 mm/12,9921 in. incl. double run-out system, fiberglass rod breaking load 1300 kg/2866 lbs.	252.00
10054	Standard-Set fiberglass rod Ø 4,5mm -30m	Standard-Set fiberglass rod Ø 4,5 mm/0,1772 in. - thread RTG Ø 6 mm, cable pulling tool, Length: 30 m/98,43 ft., steel reel Ø 330 mm/12,9921 in. incl. double run-out system, fiberglass rod breaking load 1300 kg/2866 lbs.	186.00
10055	Profi-Set fiberglass rod Ø 4,5 mm - 40 m	Profi-Set - fiberglas rod Ø 4,5 mm/0,1772 in. - thread RTG Ø 6 mm, cable pulling tool, Length: 40 m/131,23 ft., steel reel Ø 330 mm/12,9921 in. incl. double run-out system, fiberglass rod breaking load 1300 kg/2866 lbs.	279.00
10056	Standard-Set fiberglass rod Ø 4,5mm -40m	Standard-Set fiberglass rod Ø 4,5 mm/0,1772 in. - thread RTG Ø 6 mm, cable pulling tool, Length: 40 m/131,23 ft., steel reel Ø 330 mm/12,9921 in. incl. double run-out system, fiberglass rod breaking load 1300 kg/2866 lbs.	212.00
10057	Profi-Set fiberglass rod Ø 4,5 mm - 50 m	Profi-Set - fiberglas rod Ø 4,5 mm/0,1772 in. - thread RTG Ø 6 mm, cable pulling tool, Length: 50 m/164,04 ft., steel reel Ø 330 mm/12,9921 in. incl. double run-out system, fiberglass rod breaking load 1300 kg/2866 lbs.	306.00
10058	Standard-Set fiberglass rod Ø 4,5mm -50m	Standard-Set fiberglass rod Ø 4,5 mm/0,1772 in. - thread RTG Ø 6 mm, cable pulling tool, Length: 50 m/164,04 ft., steel reel Ø 330 mm/12,9921 in. incl. double run-out system, fiberglass rod breaking load 1300 kg/2866 lbs.	237.00
10059	Profi-Set - Fiberglass rod Ø 6 mm - 40 m	Profi-Set - fiberglas rod Ø 6 mm/0,2362 in. - thread RTG Ø 6 mm, cable pulling tool, Length: 40 m/131,23 ft., steel reel Ø 530 mm/20,8661 in. incl. double run-out system, fiberglass rod breaking load 2200 kg/4850 lbs.	312.00
10060	Standard-Set - fiberglass rod Ø 6 mm-40m	Standard-Set fiberglass rod Ø 6 mm/0,2362 in., thread RTG Ø 6 mm, cable pulling tool, Length: 40 m/131,23 ft., steel reel Ø 530 mm/20,8661 in. incl. double run-out system, fiberglass rod breaking load 2200 kg/4850 lbs.	257.00
10061	Profi-Set - Fiberglass rod Ø 6 mm - 50 m	Profi-Set - fiberglas rod Ø 6 mm/0,2362 in. - thread RTG Ø 6 mm, cable pulling tool, Length: 50 m/164,04 ft., steel reel Ø 530 mm/20,8661 in. incl. double run-out system, fiberglass rod breaking load 2200 kg/4850 lbs.	339.00
10062	Standard-Set - fiberglass rod Ø 6 mm-50m	Standard-Set fiberglass rod Ø 6 mm/0,2362 in., thread RTG Ø 6 mm, cable pulling tool, Length: 50 m/164,04 ft., steel reel Ø 530 mm/20,8661 in. incl. double run-out system, fiberglass rod breaking load 2200 kg/4850 lbs.	284.00
10063	Profi-Set - Fiberglass rod Ø 6 mm - 60 m	Profi-Set - fiberglas rod Ø 6 mm/0,2362 in. - thread RTG Ø 6 mm, cable pulling tool, Length: 60 m/196,85 ft., steel reel Ø 530 mm/20,8661 in. incl. double run-out system, fiberglass rod breaking load 2200 kg/4850 lbs.	370.00
10064	Standard-Set - fiberglass rod Ø 6 mm-60m	Standard-Set fiberglass rod Ø 6 mm/0,2362 in., thread RTG Ø 6 mm, cable pulling tool, Length: 60 m/196,85 ft., steel reel Ø 530 mm/20,8661 in. incl. double run-out system, fiberglass rod breaking load 2200 kg/4850 lbs.	315.00
10065	Profi-Set - Fiberglass rod Ø 6 mm - 80 m	Profi-Set - fiberglas rod Ø 6 mm/0,2362 in. - thread RTG Ø 6 mm, cable pulling tool, Length: 80 m/262,47 ft., steel reel Ø 530 mm/20,8661 in. incl. double run-out system, fiberglass rod breaking load 2200 kg/4850 lbs.	435.00
10066	Standard-Set - fiberglass rod Ø 6 mm-80m	Standard-Set fiberglass rod Ø 6 mm/0,2362 in., thread RTG Ø 6 mm, cable pulling tool, Length: 80 m/262,47 ft., steel reel Ø 530 mm/20,8661 in. incl. double run-out system, fiberglass rod breaking load 2200 kg/4850 lbs.	379.00
10076	GF7 - fiberglass rod Ø 7,5mm - 40 m	GF7 - Fiberglass rod Ø 7,5 mm/0,2953 in. with RUNPOTEC thread RTG Ø 12 mm, cable pulling tool, Length: 40 m/131,23 ft., mobile steel reel Ø 730 mm/28,7402 in. incl. double run-out system and metercounter, fiberglass rod breaking load 3400 kg/7496 lbs.	442.00
10077	GF7 - fiberglass rod Ø 7,5mm - 50 m	GF7 - Fiberglass rod Ø 7,5 mm/0,2953 in. with RUNPOTEC thread RTG Ø 12 mm, cable pulling tool, Length: 50 m/164,04 ft., mobile steel reel Ø 730 mm/28,7402 in. incl. double run-out system and metercounter, fiberglass rod breaking load 3400 kg/7496 lbs.	463.00

Distributer:
Daljinsko upravljanje d.o.o.o
B.Smetane 10, HR-10000 Zagreb
Tel: 01/388 6677 i 01/388 0247
E-mail: daljinsko-upravljanje@inet.hr

www.daljinsko-upravljanje.hr

daljinsko upravljanje

RUNPOTEC
STRONGEST CABLE PULLING

RUNPOTEC CJENIK važaći od 01-03-2023			
Šifra art.	**Opis artikla**	**Detaljni opis artikla**	**Veleprodajna cijena EUR (bez PDV-a)**
10078	GF7 - fiberglass rod Ø 7,5mm - 60 m	GF7 - Fiberglass rod Ø 7,5 mm/0,2953 in. with RUNPOTEC thread RTG Ø 12 mm, cable pulling tool, Length: 60 m/196,85 ft., mobile steel reel Ø 730 mm/28,7402 in. incl. double run-out system and metercounter, fiberglass rod breaking load 3400 kg/7496 lbs.	482.00
10079	GF7 - fiberglass rod Ø 7,5mm - 80 m	GF7 - Fiberglass rod Ø 7,5 mm/0,2953 in. with RUNPOTEC thread RTG Ø 12 mm, cable pulling tool, Length: 80 m/262,47 ft., mobile steel reel Ø 730 mm/28,7402 in. incl. double run-out system and metercounter, fiberglass rod breaking load 3400 kg/7496 lbs.	523.00
10080	GF7 - fiberglass rod Ø 7,5mm - 100 m	GF7 - Fiberglass rod Ø 7,5 mm/0,2953 in. with RUNPOTEC thread RTG Ø 12 mm, cable pulling tool, Length: 100 m/328,08 ft., mobile steel reel Ø 730 mm/28,7402 in. incl. double run-out system and metercounter, fiberglass rod breaking load 3400 kg/7496 lbs.	559.00
10081	GF9 - fiberglass rod Ø 9mm - 40 m	GF9 - Fiberglass rod Ø 9 mm/0,3543 in. with RUNPOTEC thread RTG Ø 12 mm, cable pulling tool, Length: 40 m/131,23 ft., mobile steel reel Ø 730 mm/28,7402 in. incl. double run-out system and metercounter, fiberglass rod breaking load 4500 kg/9921 lbs.	445.00
10082	GF9 - fiberglass rod Ø 9mm - 50 m	GF9 - Fiberglass rod Ø 9 mm/0,3543 in. with RUNPOTEC thread RTG Ø 12 mm, cable pulling tool, Length: 50 m/164,04 ft., mobile steel reel Ø 730 mm/28,7402 in. incl. double run-out system and metercounter, fiberglass rod breaking load 4500 kg/9921 lbs.	475.00
10083	GF9 - fiberglass rod Ø 9mm - 60 m	GF9 - Fiberglass rod Ø 9 mm/0,3543 in. with RUNPOTEC thread RTG Ø 12 mm, cable pulling tool, Length: 60 m/196,85 ft., mobile steel reel Ø 730 mm/28,7402 in. incl. double run-out system and metercounter, fiberglass rod breaking load 4500 kg/9921 lbs.	504.00
10084	GF9 - fiberglass rod Ø 9mm - 80 m	GF9 - Fiberglass rod Ø 9 mm/0,3543 in. with RUNPOTEC thread RTG Ø 12 mm, cable pulling tool, Length: 80 m/262,47 ft., mobile steel reel Ø 730 mm/28,7402 in. incl. double run-out system and metercounter, fiberglass rod breaking load 4500 kg/9921 lbs.	559.00
10085	GF9 - fiberglass rod Ø 9mm - 100 m	GF9 - Fiberglass rod Ø 9 mm/0,3543 in. with RUNPOTEC thread RTG Ø 12 mm, cable pulling tool, Length: 100 m/328,08 ft., mobile steel reel Ø 730 mm/28,7402 in. incl. double run-out system and metercounter, fiberglass rod breaking load 4500 kg/9921 lbs.	606.00
10086	GF9 - fiberglass rod Ø 9mm - 120 m	GF9 - Fiberglass rod Ø 9 mm/0,3543 in. with RUNPOTEC thread RTG Ø 12 mm, cable pulling tool, Length: 120 m/393,70 ft., mobile steel reel Ø 730 mm/28,7402 in. incl. double run-out system and metercounter, fiberglass rod breaking load 4500 kg/9921 lbs.	637.00
10091	GF7 - fiberglass rod Ø 7,5mm - 120 m	GF7 - Fiberglass rod Ø 7,5 mm/0,2953 in. with RUNPOTEC thread RTG Ø 12 mm, cable pulling tool, Length: 120 m/393,70 ft., mobile steel reel Ø 730 mm/28,7402 in. incl. double run-out system and metercounter, fiberglass rod breaking load 3400 kg/7496 lbs.	592.00
10092	GF 11 Fiberglass rod Ø 11mm - 100 m	GF11 - Fiberglass rod Ø 11 mm/0,4331 in. with RUNPOTEC thread RTG Ø 12 mm, cable pulling tool, Length: 100 m/328,08 ft., mobile steel reel Ø 1000 mm/39,3701 in. incl. double run-out system and metercounter, fiberglass rod breaking load 6200 kg/13669 lbs.	736.00
10093	GF 11 Fiberglass rod Ø 11mm - 120 m	GF11 - Fiberglass rod Ø 11 mm/0,4331 in. with RUNPOTEC thread RTG Ø 12 mm, cable pulling tool, Length: 120 m/393,70 ft., mobile steel reel Ø 1000 mm/39,3701 in. incl. double run-out system and metercounter, fiberglass rod breaking load 6200 kg/13669 lbs.	807.00
10094	GF 11 Fiberglass rod Ø 11mm - 150 m	GF11 - Fiberglass rod Ø 11 mm/0,4331 in. with RUNPOTEC thread RTG Ø 12 mm, cable pulling tool, Length: 150 m/492,13 ft., mobile steel reel Ø 1000 mm/39,3701 in. incl. double run-out system and metercounter, fiberglass rod breaking load 6200 kg/13669 lbs.	909.00

Distributer:
Daljinsko upravljanje d.o.o.o
B.Smetane 10, HR-10000 Zagreb
Tel: 01/388 6677 i 01/388 0247
E-mail: daljinsko-upravljanje@inet.hr

www.daljinsko-upravljanje.hr

daljinsko upravljanje

RUNPOTEC
STRONGEST CABLE PULLING

RUNPOTEC CJENIK važaći od 01-03-2023			
Šifra art.	**Opis artikla**	**Detaljni opis artikla**	**Veleprodajna cijena EUR (bez PDV-a)**
10095	GF 11 Fiberglass rod Ø 11mm - 200 m	GF11 - Fiberglass rod Ø 11 mm/0,4331 in. with RUNPOTEC thread RTG Ø 12 mm, cable pulling tool, Length: 200 m/656,17 ft., mobile steel reel Ø 1000 mm/39,3701 in. incl. double run-out system and metercounter, fiberglass rod breaking load 6200 kg/13669 lbs.	1,085.00
10096	GF 11 Fiberglass rod Ø 11mm - 250 m	GF11 - Fiberglass rod Ø 11 mm/0,4331 in. with RUNPOTEC thread RTG Ø 12 mm, cable pulling tool, Length: 250 m/820,21 ft., mobile steel reel Ø 1000 mm/39,3701 in. incl. double run-out system and metercounter, fiberglass rod breaking load 6200 kg/13669 lbs.	1,268.00
10097	GF 11 Fiberglass rod Ø 11mm - 300 m	GF11 - Fiberglass rod Ø 11 mm/0,4331 in. with RUNPOTEC thread RTG Ø 12 mm, cable pulling tool, Length: 300 m/984,25 ft., mobile steel reel Ø 1000 mm/39,3701 in. incl. double run-out system and metercounter, fiberglass rod breaking load 6200 kg/13669 lbs.	1,369.00
10099	GF15 fiberglass rod Ø 15mm - 150 m	GF15 - Fiberglass rod Ø 15 mm/0,5906 in. with RUNPOTEC thread RTG Ø 12 mm, cable pulling tool, Length: 150 m/492,13 ft., mobile steel reel Ø 1400 mm/55,1184 in. incl. metercounter, fiberglass rod breaking load 14500 kg/31967 lbs. - *Special item* - is excluded from exchange/return	2,473.00
10100	GF15 fiberglass rod Ø 15mm - 200 m	GF15 - Fiberglass rod Ø 15 mm/0,5906 in. with RUNPOTEC thread RTG Ø 12 mm, cable pulling tool, Length: 200 m/656,17 ft., mobile steel reel Ø 1400 mm/55,1184 in. incl. metercounter, fiberglass rod breaking load 14500 kg/31967 lbs. - *Special item* - is excluded from exchange/return	2,726.00
10101	GF15 fiberglass rod Ø 15mm - 250 m	GF15 - Fiberglass rod Ø 15 mm/0,5906 in. with RUNPOTEC thread RTG Ø 12 mm, cable pulling tool, Length: 250 m/820,21 ft., mobile steel reel Ø 1400 mm/55,1184 in. incl. metercounter, fiberglass rod breaking load 14500 kg/31967 lbs. - *Special item* - is excluded from exchange/return	3,003.00
10102	GF15 fiberglass rod Ø 15mm - 300 m	GF15 - Fiberglass rod Ø 15 mm/0,5906 in. with RUNPOTEC thread RTG Ø 12 mm, cable pulling tool, Length: 300 m/984,25 ft., mobile steel reel Ø 1400 mm/55,1184 in. incl. metercounter, fiberglass rod breaking load 14500 kg/31967 lbs. -*Special item* - is excluded from exchange/return	3,256.00
10103	GF15 fiberglass rod Ø 15mm - 350 m	GF15 - Fiberglass rod Ø 15 mm/0,5906 in. with RUNPOTEC thread RTG Ø 12 mm, cable pulling tool, Length: 350 m/1148,29 ft., mobile steel reel Ø 1400 mm/55,1184 in. incl. metercounter, fiberglass rod breaking load 14500 kg/31967 lbs. - *Special item* - is excluded from exchange/return	3,533.00
10104	GF15 fiberglass rod Ø 15mm - 400 m	GF15 - Fiberglass rod Ø 15 mm/0,5906 in. with RUNPOTEC thread RTG Ø 12 mm, cable pulling tool, Length: 400 m/1312,34 ft., mobile steel reel Ø 1400 mm/55,1184 in. incl. metercounter, fiberglass rod breaking load 14500 kg/31967 lbs. -*Special item* - is excluded from exchange/return	3,818.00
10108	RM 80 - Laser distance meter	RM 80 - laser distance meter, in protective bag with strap loop	114.40
10110	GF9 - fiberglass rod Ø 9mm - 150 m	GF9 - Fiberglass rod Ø 9 mm/0,3543 in. with RUNPOTEC thread RTG Ø 12 mm, cable pulling tool, Length: 150 m/492,13 ft., mobile steel reel Ø 730 mm/28,7402 in. incl. double run-out system and metercounter, fiberglass rod breaking load 4500 kg/9921 lbs.	725.00
10120	Pulling rope Ø 12 mm incl. reel - 150 m	Pulling rope Ø 12 mm/0,4724 in., Length: 150 m/492,13 ft., incl. reel Ø 770 mm/30,3150 in. with parking brake and transport wheels, polyester-rope, total breaking load: 2180 kg/4806 lbs.	588.00
10121	Pulling rope Ø 12 mm incl. reel - 200 m	Pulling rope Ø 12 mm/0,4724 in., Length: 200 m/656,17 ft., incl. reel Ø 770 mm/30,3150 in. with parking brake and transport wheels, polyester-rope, total breaking load: 2180 kg/4806 lbs.	657.00
10122	Pulling rope Ø 12 mm incl. reel - 300 m	Pulling rope Ø 12 mm/0,4724 in., Length: 300 m/984,25 ft., incl. reel Ø 770 mm/30,3150 in. with parking brake and transport wheels, polyester-rope, total breaking load: 2180 kg/4806 lbs.	797.00

Distributer:
Daljinsko upravljanje d.o.o.o
B.Smetane 10, HR-10000 Zagreb
Tel: 01/388 6677 i 01/388 0247
E-mail: daljinsko-upravljanje@inet.hr

www.daljinsko-upravljanje.hr

daljinsko upravljanje

RUNPOTEC
STRONGEST CABLE PULLING

RUNPOTEC CJENIK važaći od 01-03-2023			
Šifra art.	**Opis artikla**	**Detaljni opis artikla**	**Veleprodajna cijena EUR (bez PDV-a)**
10123	Pulling rope Ø 12 mm incl. reel - 350 m	Pulling rope Ø 12 mm/0,4724 in., Length: 350 m/1148,29 ft., incl. reel Ø 770 mm/30,3150 in. with parking brake and transport wheels, polyester-rope, total breaking load: 2180 kg/4806 lbs.	889.00
10134	PRO 530 - cable drum roller	PRO 530 - cable drum roller, completely assembled incl. support rollers, die-cast aluminium and continuous casting, max. drum width 53 cm/20,8661 in., load bearing capacity 215 kg/474 lbs.	189.00
10135	PRO 670 - cable drum roller	PRO 670 - cable drum roller, completely assembled incl. support rollers, die-cast aluminium and continuous casting, max. drum width 67 cm/26,3780 in., load bearing capacity 215 kg/474 lbs.	219.40
10137	X BOARD Profi-cable roller XB 300	X BOARD XB 300 - universal profi-cable roller, special plastic, Ø 300 mm/11,8110 in., drum width variable, Loadable up to 300 kg/661 lbs.	114.40
10138	Capstan winch CW 800 E with trolley	CW 800 E - capstan winch, incl. trolley mounting rail and 3 m/9,84 ft. strap, motor connection 230 V / 50 Hz, selectable traction force or traction speed 800 kg / 400 kg - 1764 lbs. / 882 lbs.	2,299.00
10139	RUNPOCAM RC 2 multifunction camera - 10m	RUNPOCAM RC 2 - multifunction camera, Length: 10 m/32,81 ft., 6 integrated LED (camera head protection rating IP 67), enclosed in robust stainless steel head, thread RTG Ø 6 mm, in RUNPOTEC system case	524.00
10140	RUNPOCAM RC 2 multifunction camera - 30m	RUNPOCAM RC 2 - multifunction camera, Length: 30 m/98,43 ft., 6 integrated LED (camera head protection rating IP 67), enclosed in robust stainless steel head, thread RTG Ø 6 mm, in RUNPOTEC system case	566.00
10141	RUNPOCAM RC 2 multifunction camera - 50m	RUNPOCAM RC 2 - multifunction camera, Length: 50 m/164,04 ft., 6 integrated LED (camera head protection rating IP 67), enclosed in robust stainless steel head, thread RTG Ø 6 mm, in RUNPOTEC system case	608.00
10142	Roll-off rails AS 900 - in set of 2	Roll-off rails AS 900 - cable drum unwinder, Length: 900 mm/35,4331 in., set of 2, stainless steel-aluminium construction, load bearing capacity 1700 kg/3748 lbs., rec. unwinding weight 800 kg/1764 lbs. (wooden drum)	839.00
10147	Centring cones (2 pieces)	Centring cones with quick-release fastener (2 pieces), Aluminium die casting, drum up to inner diameter Ø 115 mm/4,5276 in.	135.00
10148	Capstan winch CW 800 E without trolley	CW 800 E - capstan winch, incl. 3 m/9,84 ft. strap, motor connection 230 V / 50 Hz, selectable traction force or traction speed 800 kg / 400 kg - 1764 lbs. / 882 lbs.	2,204.00
10153	Cable guide roller - 90 degrees	Cable guide roller 90 degrees, aluminium heavy-duty rollers with stainless steel ball bearings, metal frame, Roller diameter Ø 130 mm/5,1181 in., max. cable diameter Ø 100 mm/3,9370 in., load capacity 4500 kg/9921 lbs.	152.00
10154	RUNPOFIX with thread - SET	RUNPOFIX with thread RTG Ø 6 mm - cable pulling loop with protective cap, set of 4, stainless steel rope Ø 1,5 mm/0,0591 in., total breaking load 100 kg/220 lbs.	41.00
10156	Cable guide roller - shaft inside edge	Cable guide roller shaft inside edge, aluminium heavy-duty rollers with stainless steel ball bearings, metal frame, Roller diameter Ø 130 mm/5,1181 in., max. cable diameter Ø 100 mm/3,9370 in., load capacity 4500 kg/9921 lbs.	79.00
10157	Cable guide roller - shaft	Cable guide roller shaft, aluminium heavy-duty rollers with stainless steel ball bearings, metal frame, Roller diameter Ø 130 mm/5,1181 in., max. cable diameter Ø 100 mm/3,9370 in., load capacity 4500 kg/9921 lbs.	79.00
10159	RUNPOFIX with hook - SET	RUNPOFIX with hook - cable pulling loop with protective cap, set of 4, stainless steel rope Ø 1,5 mm/0,0591 in., total breaking load 100 kg/220 lbs.	41.00
10161	Lifting supports - RUNPOLIFTER 4500	Lifting supports - RUNPOLIFTER 4500, cable drum lifter, left + right support, stainless steel, without drum shaft, without centring cones, load capacity 4500 kg/9921 lbs.	2,090.00
10162	RUNPOLIFTER 4500 - L 1150	RUNPOLIFTER 4500 L 1150 - cable drum lifter - Length: 1150 mm/45,2756 in., stainless steel, max. width 800 mm/31,4961 in., incl. drum shaft and 2 centring cones, load capacity 4500 kg/9921 lbs.	2,610.00
10163	RUNPOLIFTER 4500 - L 1350	RUNPOLIFTER 4500 L 1350 - cable drum lifter - Length: 1350 mm/53,1496 lbs., stainless steel, max. width 1000 mm/39,3701 in., incl. drum shaft and 2 centring cones, load capacity 4500 kg/9921 lbs.	2,650.00

Distributer:
Daljinsko upravljanje d.o.o.o
B.Smetane 10, HR-10000 Zagreb
Tel: 01/388 6677 i 01/388 0247
E-mail: daljinsko-upravljanje@inet.hr

www.daljinsko-upravljanje.hr

daljinsko upravljanje

RUNPOTEC STRONGEST CABLE PULLING

RUNPOTEC CJENIK važaći od 01-03-2023			
Šifra art.	**Opis artikla**	**Detaljni opis artikla**	**Veleprodajna cijena EUR (bez PDV-a)**
10164	RUNPOLIFTER 4500 - L 1600	RUNPOLIFTER 4500 L 1600 - cable drum lifter - Length: 1600 mm/62,9921 in., stainless steel, max. width 1250 mm/49,2126 in., incl. drum shaft and 2 centring cones, load capacity 4500 kg/9921 lbs.	2,690.00
10166	Cable guide roller chain - 3-part	Cable guide roller chain - 3-part, aluminium heavy-duty rollers with stainless steel ball bearings, metal frame, Roller diameter Ø 130 mm/5,1181 in., max. cable diameter Ø 100 mm/3,9370 in., load capacity 4500 kg/9921 lbs.	234.00
10167	Pulling rope Ø 10 mm incl. reel - 120 m	Pulling rope Ø 10 mm/0,3937 in., Length: 120 m/393,70 ft., incl. reel Ø 514 mm/20,2362 with parking brake, polyester-rope, total breaking load: 1640 kg/3616 lbs.	415.00
10168	Pulling rope Ø 10 mm incl. reel - 200 m	Pulling rope Ø 10 mm/0,3937 in., Length: 200 m/656,17 ft., incl. reel Ø 770 mm/30,3150 in. with parking brake and transpot wheels, polyester-rope, total breaking load: 1640 kg/3616 lbs.	565.00
10169	Pulling rope Ø 8 mm incl. reel - 120 m	Pulling rope Ø 8 mm/0,3150 in., Length: 120 m/393,70 ft., incl. reel Ø 514 mm/20,2362 in. with parking brake, polyester-rope, total breaking load: 1100 kg/2425 lbs.	369.00
10170	XB 300 - COMPLETE SET	XB 300 - COMPLETE SET - universal profi-cable roller + multifunction mandrel in RUNPOTEC system case, Ø 300 mm/11,8110 in., loadable up to 300 kg/661 lbs.	189.00
10171	RUNPO 5 + XB 300 - MULTI-SET	RUNPO 5 + XB 300 - MULTI-SET - Profi cable pulling system + univeral profi-cable roller + multifunction mandrel in RUNPOTEC system case, RUNPO 5: 270 kg/595 lbs. total breaking load, XB 300: Ø 300 mm/11,8110 in., loadable up to 300 kg/661 lbs.	305.00
10172	RUNPOMETER RM35-cable length measurement	RUNPOMETER RM 35 - digital cable length measuring device in RUNPOTEC system case	329.00
10174	XB 300 + multfunction mandrel SET	XB 300 + multifunction mandrel SET - universal profi-cabel roller, Ø 300 mm/11,8110 in., loadable up to 300 kg/661 lbs.	148.00
10176	Connection swirl with swivel	Connection swirl with swivel, stainless steel (corrosion free), Ø 30 mm/1,1811 in., max. pull force 1500 kg/3307 lbs.	190.00
10184	RM35-calibrated cable length measurement	RUNPOMETER RM 35 - test according to MODUL F (calibrated) - digital cable length measuring device in RUNPOTEC system case	469.00
10189	Cable guide roller - 90 degrees 3R	Cable guide roller 90 degrees 3R, aluminium heavy-duty rollers with stainless steel ball bearings, metal frame, Roller diameter Ø 130 mm/5,1181 in., max. cable diameter Ø 100 mm/3,9370 in., load capacity 2500 kg/5512 lbs.	240.00
10192	GF3 - glass fiber rod Ø 3 mm - 20 m	GF3 - cable pulling system incl. digital meter counter, length: 20 m/65,62 ft. - fiberglass rod Ø 3 mm/0,11841 in. with RUNPOTEC thread RTG Ø 6 mm in plastic box, incl. pulling grip, cable pulling loop,repair kit (18-part), total breaking load 130 kg	184.00
10193	GF3 - glass fiber rod Ø 3 mm - 30 m	GF3 - cable pulling system incl. digital meter counter, length: 30 m/98,43 ft. - fiberglass rod Ø 3 mm/0,11841 in. with RUNPOTEC thread RTG Ø 6 mm in plastic box, incl. pulling grip, cable pulling loop, repair kit (18-part),total breaking load 130 kg	169.00
10195	GF3 - glass fiber rod Ø 3 mm - 50 m	GF3 - cable pulling system incl. digital meter counter, length: 50 m/164,04 ft. - fiberglass rod Ø 3 mm/0,11841 in. with thread RTG Ø 6 mm in plastic box, incl. pulling grip, cable pulling loop, repair kit (18-part), total breaking load 130 kg	219.00
10196	GF3 - Ø 3mm without meter counter - 20 m	GF3 - cable pulling system without meter counter, length: 20 m/65,62 ft. - fiberglass rod Ø 3 mm/0,11841 in. with RUNPOTEC thread RTG Ø 6 mm in plastic box, incl. pulling grip, cable pulling loop, repair kit (18-part), total breaking load 130 kg	117.50
10197	GF3 - Ø 3mm without meter counter - 30 m	GF3 - cable pulling system without meter counter, length: 30 m/98,43 ft. - fiberglass rod Ø 3 mm/0,11841 in. with RUNPOTEC thread RTG Ø 6 mm in plastic box, incl. pulling grip, cable pulling loop, repair kit (18-part), total breaking load 130 kg	131.00
10198	GF3 - Ø 3mm without meter counter - 50 m	GF3 - cable pulling system without meter counter, length: 50 m/164,04 ft. - fiberglass rod Ø 3 mm/0,11841 in. with RUNPOTEC thread RTG Ø 6 mm in plastic box, incl. pulling grip, cable pulling loop, repair kit (18-part), total breaking load 130 kg	156.50

Distributer:
Daljinsko upravljanje d.o.o.o
B.Smetane 10, HR-10000 Zagreb
Tel: 01/388 6677 i 01/388 0247
E-mail: daljinsko-upravljanje@inet.hr

www.daljinsko-upravljanje.hr

RUNPOTEC CJENIK važaći od 01-03-2023			
Šifra art.	**Opis artikla**	**Detaljni opis artikla**	**Veleprodajna cijena EUR (bez PDV-a)**
11117	RUNPOSTICKS Comf. + RUNPOFIX Set thread	RUNPOSTICKS Comfort Set 19-parts + RUNPOFIX 4 set of 4 with thread, cable pulling aid for not guided pipelines + cable pulling loop with protective cap	181.00
11140	RUNPOCAM RC2 50m + Profi Set Ø 4,5mm 50m	RUNPOCAM RC2 - 50 m/164,04 ft. + Profi-Set Fiberglass rod Ø 4,5 mm - 50 m/164,04 ft. - multifunction camera + cable pulling tool in RUNPOTEC system case	789.00
11142	RUNPO 5 30 m + RUNPOFIX Set hook	RUNPO 5 - 30 m/98,43 ft. + RUNPOFIX set of 4 with hook - Profi cable pulling system + cable pulling loop with protective cap	175.00
11143	RUNPOMETER RM35 + X BOARD XB 300 SET	RUNPOMETER RM35 + XB300 - Digital cable length measuring device - universal profi cable roller in RUNPOTEC system case	379.00
11146	RUNPOCAM RC2 - 30 m + GF3 Ø 3 mm 30 m	RUNPOCAM RC2 - 30 m/1,1811 in. + GF3 Ø 3 mm/0,1181 in. - 30 m/98,43 ft. - inspection camera + cable pulling system in RUNPOTEC system case	659.00
20002	Standard-Set steel reel Ø 330 mm	Standard-Set steel reel Ø 330 mm/12,9921 in. for Ø 4,5 mm/0,1772 in., incl double run-out system, CDP/powder-coated	129.00
20004	Cable pulling tool RT 2008 - Basic unit	RUNPOTEC RT 2008 cable pulling device basic unit, special plastic	178.00
20010	Plug-in attachment socket flexible	RUNPOTEC Plug-in attachment socket flexible	8.00
20020	RUNPOTEC Plug-in attachment Ø 20 mm	RUNPOTEC Plug-in attachment Ø 20 mm/0,7874 in.	9.00
20025	RUNPOTEC Plug-in attachment Ø 25 mm	RUNPOTEC Plug-in attachment Ø 25 mm/0,9843 in.	9.00
20032	RUNPOTEC Plug-in attachment Ø 32 mm	RUNPOTEC Plug-in attachment Ø 32 mm/1,2598 in.	9.00
20040	RUNPOTEC Plug-in attachment Ø 40 mm	RUNPOTEC Plug-in attachment Ø 40 mm/1,5748 in.	9.00
20059	LED-lamp 130 lumen - thread RTG Ø 6 mm	LED-lamp 130 lumen - thread RTG Ø 6 mm, aluminium case	21.00
20060	Nylon fish tape Ø 4 mm - 5 m	Nylon fish tape Ø 4 mm/0,1575 in. - cable pulling aid, Length: 5 m/16,40 ft., without box, total breaking load 110 kg/360,89 lbs.	7.60
20061	Nylon fish tape Ø 4 mm - 10 m	Nylon fish tape Ø 4 mm/0,1575 in. - cable pulling aid, Length: 10 m/32,81 ft., without box, total breaking load 110 kg/360,89 lbs.	9.00
20062	Nylon fish tape Ø 4 mm - 15 m	Nylon fish tape Ø 4 mm/0,1575 in. - cable pulling aid, Length: 15 m/49,21 ft., without box, total breaking load 110 kg/360,89 lbs.	11.00
20063	Nylon fish tape Ø 4 mm - 20 m	Nylon fish tape Ø 4 mm/0,1575 in. - cable pulling aid, Length: 20 m/65,62 ft., without box, total breaking load 110 kg/360,89 lbs.	12.00
20064	Nylon fish tape Ø 4 mm - 25 m	Nylon fish tape Ø 4 mm/0,1575 in. - cable pulling aid, Length: 25 m/82,02 ft., without box, total breaking load 110 kg/360,89 lbs.	14.00
20065	Nylon fish tape Ø 4 mm - 30 m	Nylon fish tape Ø 4 mm/0,1575 in. - cable pulling aid, Length: 30 m/98,43 ft., without box, total breaking load 110 kg/360,89 lbs.	15.00
20108	Coupling joint-Set GF3	Coupling joint-Set GF3 - Ø 3 mm/0,1181 in., 3 pieces, stainless steel	7.00
20116	Flexible starting head Ø 7 mm - RTG 6mm	Flexible starting head Ø 7 mm/0,2756 in., thread RTG Ø 6 mm, stainless steel	7.80
20119	Flexible starting head Ø 13 mm - RTG 6mm	Flexible starting head Ø 13 mm/0,5118 in., thread RTG Ø 6 mm, stainless steel	8.00
20238	RUNPOGLIDER with swivel Ø 7 mm	RUNPOGLIDER with swivel Ø 7 mm/0,2756 in. - flexible guide head, RUNPOTEC thread RTG Ø 6 mm, breaking load 270 kg/595 lbs.	29.00
20240	RUNPO 5 - Cable pulling spare band - 20m	RUNPO 5 - Profi cable pulling system - replacement fish tape Length: 20 m/65,62 ft., triple twisted special plastic fish tape Ø 5,3 mm/0,2087 in. - 270 kg/595 lbs. total breaking load, without box	110.00
20241	RUNPO 5 - Cable pulling spare band - 30m	RUNPO 5 - Profi cable pulling system -replacement fish tape Length: 30 m/98,43 ft., triple twisted special plastic fish tape Ø 5,3 mm/0,2087 in. - 270 kg/595 lbs. total breaking load, without box	126.00
20242	RUNPO 5 - Cable pulling spare band - 40m	RUNPO 5 - Profi cable pulling system - replacement fish tape Length: 40 m/131,23 ft., triple twisted special plastic fish tape Ø 5,3 mm/0,2087 in. - 270 kg/595 lbs. total breaking load, without box	144.00

Distributer:
Daljinsko upravljanje d.o.o.o
B.Smetane 10, HR-10000 Zagreb
Tel: 01/388 6677 i 01/388 0247
E-mail: daljinsko-upravljanje@inet.hr

www.daljinsko-upravljanje.hr

RUNPOTEC CJENIK važaći od 01-03-2023			
Šifra art.	**Opis artikla**	**Detaljni opis artikla**	**Veleprodajna cijena EUR (bez PDV-a)**
20250	Repairing Kit GF4, thread RTG Ø 6 mm	Repairing-Kit GF4 - Ø 4,5 mm/0,1772 in. with thread RTG Ø 6 mm, 4-parts, stainless steel	22.00
20251	Swivel joint - RTG Ø 6 mm	Swivel joint with thread RTG Ø 6 mm, stainless steel	24.00
20252	Repairing Kit GF6, thread RTG Ø 6 mm	Repairing-Kit GF6 - Ø 6 mm/0,2362 in. with thread RTG Ø 6 mm, 4-parts, stainless steel	39.00
20253	RUNPOTEC plug attachment rigid socket	RUNPOTEC Plug-in attachment rigid socket 90°	17.00
20260	Magnet extra strong - RTG Ø 6 mm thread	Magnet - extra strong, RTG Ø 6 mm thread, holding force 2,5 kg/5,51 lbs., neodymium magnet	9.00
20261	Fishing hook - RTG Ø 6mm	Fishing hook with thread RTG Ø 6 mm, stainless steel	6.80
20262	Ball chain 0,5 meter with RTG Ø 6 mm	Ball chain with thread RTG Ø 6 mm, Length: 0,5 m/1,64 ft., stainless steel, total breaking load 25 kg/55,12 lbs.	10.00
20266	Cable pulling grip with thread Ø 9-15mm	Cable pulling grip Ø 9 - 15 mm/ 0,3543 - 0,5906 in. with loop and thread RTG Ø 6 mm, stainless steel weave length 430 mm/16,291 in., total breaking load 180 kg/397 lbs.	40.00
20267	Cable pulling grip with thread Ø 15-19mm	Cable pulling grip Ø 15 - 19 mm/ 0,5906 - 0,7480 in. with loop and thread RTG Ø 6 mm, stainless steel weave length 480 mm/ in., total breaking load 180 kg/397 lbs.	42.00
20268	Cable pulling grip with thread Ø 19-25mm	Cable pulling grip Ø 19 - 25 mm/ 0,7480 - 0,9843 in. with loop and thread RTG Ø 6 mm, stainless steel weave length 480 mm/18,8976 in., total breaking load 180 kg/397 lbs.	43.00
20269	Cable pulling grip with thread Ø 25-31mm	Cable pulling grip Ø 25 - 31 mm/ 0,9843 - 1,2205 in. with loop and thread RTG Ø 6 mm, stainless steel weave length 530 mm/20,8661 in., total breaking load 180 kg/397 lbs.	45.00
20272	RUNPO Z cable pulling grip Ø 4 - 6 mm	RUNPO Z - cable pulling grip Ø 4 - 6 mm/0,1575 - 0,2362 in., stainless steel weave length 280 mm/11,0236, total breaking load 200 kg/441 lbs.	26.00
20273	RUNPO Z cable pulling grip Ø 6 - 9 mm	RUNPO Z - cable pulling grip Ø 6 - 9 mm/0,2362 - 0,3543 in., stainless steel weave length 310 mm/12,2047 in., total breaking load 200 kg/441 lbs.	29.00
20274	RUNPO Z cable pulling grip Ø 9 - 15 mm	RUNPO Z - cable pulling grip Ø 9 - 15 mm/0,3543 - 0,5906 in., stainless steel weave length 460 mm/18,1102 in., total breaking load 200 kg/441 lbs.	33.00
20278	Extandable stand feet incl. storage box	Extandable standing feet incl. storage compartment for PROFI-Set reel Ø 330 mm/12,9921 in. and Ø 530 mm/20,8661 in., Aluminium/plastic	42.00
20279	Roller Ø 24 mm with thread RTG Ø 6 mm	Roller Ø 24 mm/0,9449 in., thread RTG Ø 6 mm, aluminium/stainless steel	18.00
20280	Shackle with RTG Ø 6 mm thread	Shackle with RTG Ø 6 mm thread, stainless steel/galvanised steel	15.00
20300	Standard-Set steel reel Ø 530 mm	Standard-Set steel reel Ø 530 mm/20,8661 in. for Ø 6 mm/0,2362 in., incl double run-out system, CDP/powder-coated	166.00
20303	Flexible starting head Ø 10 mm - RTG 6mm	Flexible starting head Ø 10 mm/0,3937 in., thread RTG Ø 6 mm, stainless steel	8.00
20311	Replacement fiberglass rod Ø4,5mm -30m	Replacement fiberglass rod Ø 4,5 mm/0,1772 in., thread RTG Ø 6 mm, cable pulling tool, Length: 30 m/98,43 ft., without steel reel, fiberglass rod breaking load 1300 kg/2866 lbs.	80.00
20312	Replacement fiberglass rod Ø4,5mm -40m	Replacement fiberglass rod Ø 4,5 mm/0,1772 in., thread RTG Ø 6 mm, cable pulling tool, Length: 40 m/131,23 ft., without steel reel, fiberglass rod breaking load 1300 kg/2866 lbs.	94.00
20313	Replacement fiberglass rod Ø4,5mm -50m	Replacement fiberglass rod Ø 4,5 mm/0,1772 in., thread RTG Ø 6 mm, cable pulling tool, Length: 50 m/164,04 ft., without steel reel, fiberglass rod breaking load 1300 kg/2866 lbs.	110.00
20314	Replacement fiberglass rod Ø4,5mm -60m	Replacement fiberglass rod Ø 4,5 mm/0,1772 in., thread RTG Ø 6 mm, cable pulling tool, Length: 60 m/196,85 ft., without steel reel, fiberglass rod breaking load 1300 kg/2866 lbs.	127.00
20315	Replacement fiberglass rod Ø4,5mm -80m	Replacement fiberglass rod Ø 4,5 mm/0,1772 in., thread RTG Ø 6 mm, cable pulling tool, Length: 80 m/262,47 ft., without steel reel, fiberglass rod breaking load 1300 kg/2866 lbs.	157.00

Distributer:
Daljinsko upravljanje d.o.o.o
B.Smetane 10, HR-10000 Zagreb
Tel: 01/388 6677 i 01/388 0247
E-mail: daljinsko-upravljanje@inet.hr

www.daljinsko-upravljanje.hr

RUNPOTEC CJENIK važaći od 01-03-2023			
Šifra art.	**Opis artikla**	**Detaljni opis artikla**	**Veleprodajna cijena EUR (bez PDV-a)**
20316	Ending joints-SET GF6, thread RTG Ø 6 mm	Ending joint-Set GF6 - Ø 6 mm/0,2362 in. with thread RTG Ø 6 mm, 2 pieces, stainless steel	12.00
20317	Replacement fiberglass rod Ø 6 mm -40m	Replacement fiberglass rod Ø 6 mm/0,262 in., thread RTG Ø 6 mm, cable pulling tool, Length: 40 m/131,23 ft., without steel reel, fiberglass rod breaking load 2200 kg/4850 lbs.	103.00
20318	Replacement fiberglass rod Ø 6 mm -50m	Replacement fiberglass rod Ø 6 mm/0,262 in., thread RTG Ø 6 mm, cable pulling tool, Length: 50 m/164,04 ft., without steel reel, fiberglass rod breaking load 2200 kg/4850 lbs.	125.00
20319	Replacement fiberglass rod Ø 6 mm -60m	Replacement fiberglass rod Ø 6 mm/0,262 in., thread RTG Ø 6 mm, cable pulling tool, Length: 60 m/196,85 ft., without steel reel, fiberglass rod breaking load 2200 kg/4850 lbs.	144.00
20320	Replacement fiberglass rod Ø 6 mm -80m	Replacement fiberglass rod Ø 6 mm/0,262 in., thread RTG Ø 6 mm, cable pulling tool, Length: 80 m/262,47 ft., without steel reel, fiberglass rod breaking load 2200 kg/4850 lbs.	182.00
20321	Coupling joint-Set GF6	Coupling joint-Set GF6 - Ø 6 mm/0,2362 in., 2 pieces, stainless steel	14.00
20322	Ending joints-SET GF4, thread RTG Ø 6 mm	Ending joint-Set GF4 - Ø 4,5 mm/0,1772 in. with thread RTG Ø 6 mm, 3 pieces, stainless steel	11.00
20323	Coupling joint-Set GF4	Coupling joint-Set GF4 - Ø 4,5 mm/0,1772 in., 3 pieces, stainless steel	14.00
20333	RUNPOTEC belt clip + plug in coupling	RUNPOTEC belt clip + plug in coupling	8.00
20365	Cable pulling grip with thread Ø 4-6mm	Cable pulling grip Ø 4 - 6 mm/0,1575 - 0,2362 in. with thread RTG Ø 6 mm, stainless steel weave length 200 mm/7,8740 in., total breaking load 120 kg/265 lbs.	18.00
20366	Cable pulling grip with thread Ø 6-9mm	Cable pulling grip Ø 6 - 9 mm/ 0,2362 - 0,3543 in with thread RTG Ø 6 mm, stainless steel weave length 220 mm/8,6614, total breaking load 120 kg/265 lbs.	19.00
20367	Cable pulling grip with thread Ø 9-13mm	Cable pulling grip Ø 9 - 13 mm/0,3543 - 0,5118 in. with thread RTG Ø 6 mm, stainless steel weave length 320 mm/12,5984 in., total breaking load 120 kg/265 lbs.	29.00
20368	Replacement fiberglass rod Ø 7,5mm-40m	GF7 Replacement fiberglass rod Ø 7,5 mm/0,2953, thread RTG Ø 12 mm, cable pulling tool, Length: 40 m/131,23 ft., without steel reel, fiberglass rod breaking load 3400 kg/7496 lbs.	126.00
20369	Replacement fiberglass rod Ø 7,5mm-50m	GF7 Replacement fiberglass rod Ø 7,5 mm/0,2953, thread RTG Ø 12 mm, cable pulling tool, Length: 50 m/164,04 ft., without steel reel, fiberglass rod breaking load 3400 kg/7496 lbs.	142.00
20370	Replacement fiberglass rod Ø 7,5mm-60m	GF7 Replacement fiberglass rod Ø 7,5 mm/0,2953, thread RTG Ø 12 mm, cable pulling tool, Length: 60 m/196,85 ft., without steel reel, fiberglass rod breaking load 3400 kg/7496 lbs.	161.00
20371	Replacement fiberglass rod Ø 7,5mm-80m	GF7 Replacement fiberglass rod Ø 7,5 mm/0,2953, thread RTG Ø 12 mm, cable pulling tool, Length: 80 m/262,47 ft., without steel reel, fiberglass rod breaking load 3400 kg/7496 lbs.	201.00
20372	Replacement fiberglass rod Ø7,5mm-100m	GF7 Replacement fiberglass rod Ø 7,5 mm/0,2953, thread RTG Ø 12 mm, cable pulling tool, Length: 100 m/328,08 ft., without steel reel, fiberglass rod breaking load 3400 kg/7496 lbs.	237.00
20373	Replacement fiberglass rod Ø 9mm - 40m	GF9 Replacement fiberglass rod Ø 9 mm/0,3543 in., thread RTG Ø 12 mm, cable pulling tool, Length: 40 m/131,23 ft., without steel reel, fiberglass rod breaking load 4500 kg/9921 lbs.	140.00
20374	Replacement fiberglass rod Ø 9mm - 50m	GF9 Replacement fiberglass rod Ø 9 mm/0,3543 in., thread RTG Ø 12 mm, cable pulling tool, Length: 50 m/164,04 ft., without steel reel, fiberglass rod breaking load 4500 kg/9921 lbs.	166.00
20375	Replacement fiberglass rod Ø 9mm - 60m	GF9 Replacement fiberglass rod Ø 9 mm/0,3543 in., thread RTG Ø 12 mm, cable pulling tool, Length: 60 m/196,85 ft., without steel reel, fiberglass rod breaking load 4500 kg/9921 lbs.	193.00

Distributer:
Daljinsko upravljanje d.o.o.o
B.Smetane 10, HR-10000 Zagreb
Tel: 01/388 6677 i 01/388 0247
E-mail: daljinsko-upravljanje@inet.hr

www.daljinsko-upravljanje.hr

daljinsko upravljanje

RUNPOTEC
STRONGEST CABLE PULLING

RUNPOTEC CJENIK važaći od 01-03-2023			
Šifra art.	**Opis artikla**	**Detaljni opis artikla**	**Veleprodajna cijena EUR (bez PDV-a)**
20376	Replacement fiberglass rod Ø 9mm - 80m	GF9 Replacement fiberglass rod Ø 9 mm/0,3543 in., thread RTG Ø 12 mm, cable pulling tool, Length: 80 m/262,47 ft., without steel reel, fiberglass rod breaking load 4500 kg/9921 lbs.	240.00
20377	Replacement fiberglass rod Ø 9mm -100m	GF9 Replacement fiberglass rod Ø 9 mm/0,3543 in., thread RTG Ø 12 mm, cable pulling tool, Length: 100 m/328,08 ft., without steel reel, fiberglass rod breaking load 4500 kg/9921 lbs.	300.00
20378	Replacement fiberglass rod Ø 9mm -120m	GF9 Replacement fiberglass rod Ø 9 mm/0,3543 in., thread RTG Ø 12 mm, cable pulling tool, Length: 120 m/393,70 ft., without steel reel, fiberglass rod breaking load 4500 kg/9921 lbs.	340.00
20379	Ending joint GF9, thread RTG Ø 12 mm	Ending joint GF9 - Ø 9 mm/0,3543 in. with thread RTG Ø 12 mm, stainless steel	10.00
20380	Coupling joint GF7	Coupling joint GF7 - Ø 7,5 mm/0,2953 in., stainless steel	14.00
20381	Ending joint GF7, thread RTG Ø 12 mm	Ending joint GF7 - Ø 7,5 mm/0,2953 in. with thread RTG Ø 12 mm, stainless steel	10.00
20382	Roller Ø 50 mm with thread RTG Ø 12 mm	Roller Ø 50 mm/1,9685 in., thread RTG Ø 12 mm, aluminium/stainless steel	39.00
20383	Shackle with RTG Ø 12 mm thread	Shackle with RTG Ø 12 mm thread, stainless steel/galvanised steel	27.00
20384	Repairing Kit GF7, thread RTG Ø 12 mm	Repairing-Kit GF7 - Ø 7,5 mm/0,2953 in. with thread RTG Ø 12 mm, 4-parts, stainless steel	46.00
20385	Repairing Kit GF9, thread RTG Ø 12 mm	Repairing-Kit GF9 - Ø 9 mm/0,3543 in. with thread RTG Ø 12 mm, 4-parts, stainless steel	51.00
20386	Replacement fiberglass rod Ø 11mm-150m	GF11 Replacement fiberglass rod Ø 11 mm/0,4331 in., thread RTG Ø 12 mm, cable pulling tool, Length: 100 m/328,08 ft., without steel reel, fiberglass rod breaking load 6200 kg/13669 lbs.	508.00
20387	Swivel joint - RTG Ø 12 mm	Swivel joint with thread RTG Ø 12 mm, stainless steel	35.00
20388	RUNPO Z adapter - with thread RTG Ø 6 mm	RUNPO Z - Adapter with thread RTG Ø 6 mm, stainless steel, total breaking load 200 kg/441 lbs.	22.00
20402	Profi-Set steel reel Ø 330 mm	Profi-Set steel reel Ø 330 mm/12,9921 in. for Ø 4,5 mm/0,1772 in., incl double run-out system, CDP/powder-coated	178.00
20403	Profi-Set steel reel Ø 530 mm	Profi-Set steel reel Ø 530 mm/20,8661 in. for Ø 6 mm/0,2362 in., incl double run-out system, CDP/powder-coated	224.00
20404	Starting head Ø 30 mm with RTG Ø 12 mm	Starting head Ø 30 mm/1,1811 in. with thread RTG Ø 12 mm, stainless steel	25.00
20405	Steel reel Ø 730 mm mobile	Steel reel Ø 730 mm/28,7402 in. mobile for Ø 7,5 mm/0,2953 in. and 9 mm/0,3543 in., incl. double run-out system and metercounter, CDP/powder-coated	320.00
20409	Starting head Ø 20 mm with RTG Ø 12 mm	Starting head Ø 20 mm/0,7874 in. with thread RTG Ø 12 mm, stainless steel	23.00
20411	Pulling eyelet-Set Ø 7 mm (3 pieces)	Pulling Eyelet-set Ø 7 mm/0,2756 in. with thread RTG Ø 6 mm, 3 pieces, stainless steel	7.00
20412	Coupling joint GF9	Coupling joint GF9 - Ø 9 mm/0,3543 in., stainless steel	14.00
20414	Replacement fiberglass rod Ø7,5mm-120m	GF7 Replacement fiberglass rod Ø 7,5 mm/0,2953, thread RTG Ø 12 mm, cable pulling tool, Length: 120 m/393,70 ft., without steel reel, fiberglass rod breaking load 3400 kg/7496 lbs.	273.00
20416	Steel reel Ø 1000 mm mobile	Steel reel Ø 1000 mm/39,3701 in. mobile for Ø 11 mm/0,4331 in., incl. double run-out system and metercounter, CDP/powder-coated	399.00
20417	Replacement fiberglass rod Ø 11mm-120m	GF11 Replacement fiberglass rod Ø 11 mm/0,4331 in., thread RTG Ø 12 mm, cable pulling tool, Length: 120 m/393,70 ft., without steel reel, fiberglass rod breaking load 6200 kg/13669 lbs.	519.00
20418	Replacement fiberglass rod Ø 11mm-150m	GF11 Replacement fiberglass rod Ø 11 mm/0,4331 in., thread RTG Ø 12 mm, cable pulling tool, Length: 150 m/492,13 ft., without steel reel, fiberglass rod breaking load 6200 kg/13669 lbs.	646.00
20419	Replacement fiberglass rod Ø 11mm-200m	GF11 Replacement fiberglass rod Ø 11 mm/0,4331 in., thread RTG Ø 12 mm, cable pulling tool, Length: 200 m/656,17 ft., without steel reel, fiberglass rod breaking load 6200 kg/13669 lbs.	808.00

Distributer:
Daljinsko upravljanje d.o.o.o
B.Smetane 10, HR-10000 Zagreb
Tel: 01/388 6677 i 01/388 0247
E-mail: daljinsko-upravljanje@inet.hr

www.daljinsko-upravljanje.hr

daljinsko upravljanje

RUNPOTEC
STRONGEST CABLE PULLING

RUNPOTEC CJENIK važaći od 01-03-2023			
Šifra art.	**Opis artikla**	**Detaljni opis artikla**	**Veleprodajna cijena EUR (bez PDV-a)**
20420	Replacement fiberglass rod Ø 11mm-250m	GF11 Replacement fiberglass rod Ø 11 mm/0,4331 in., thread RTG Ø 12 mm, cable pulling tool, Length: 250 m/820,21 ft., without steel reel, fiberglass rod breaking load 6200 kg/13669 lbs.	954.00
20421	Replacement fiberglass rod Ø 11mm-300m	GF11 Replacement fiberglass rod Ø 11 mm/0,4331 in., thread RTG Ø 12 mm, cable pulling tool, Length: 300 m/984,25 ft., without steel reel, fiberglass rod breaking load 6200 kg/13669 lbs.	1,111.00
20422	Ending joint GF11, thread RTG Ø 12 mm	Ending joint GF11 - Ø 11 mm/0,4331 in. with thread RTG Ø 12 mm, stainless steel	12.00
20423	Coupling joint GF11	Coupling joint GF11 - Ø 11 mm/0,4331 in., stainless steel	17.00
20424	Repairing Kit GF11, thread RTG Ø 12 mm	Repairing-Kit GF11 - Ø 11 mm/0,4331 in. with thread RTG Ø 12 mm, 4-parts, stainless steel	59.00
20427	Pull loop Ø 2 mm - stainless steel rope	Pull loop Ø 2 mm/0,0787 in. - with thread RTG Ø 6 mm, Loop length: 50 mm/1,9685 in., stainless steel rope	6.90
20428	Pull loop Ø 1,5mm - stainless steel rope	Pull loop Ø 1,5 mm/0,0591 in. - with thread RTG Ø 6 mm, Loop length: 85 mm/3,3465 in., stainless steel rope	6.90
20436	Cable pulling grip with loop Ø 30-40 mm	Cable pulling grip Ø 30 - 40 mm/1,1811 - 1,5748 in. with loop and thread RTG Ø 6 mm and 12 mm, stainless steel weave length: 920 mm/36,2205 in., total breaking load: 1200 kg/2646 lbs.	62.00
20437	Cable pulling grip with loop Ø 40-50 mm	Cable pulling grip Ø 40 - 50 mm/1,5748 - 1,9685 in. with loop and thread RTG Ø 6 mm and 12 mm, stainless steel weave length: 1020 mm/40,1575 in., total breaking load: 1200 kg/2646 lbs.	66.00
20438	Cable pulling grip with loop Ø 50-60 mm	Cable pulling grip Ø 50 - 60 mm/1,9685 - 2,3622 in. with loop and thread RTG Ø 6 mm and 12 mm, stainless steel weave length: 1120 mm/44,0945 in., total breaking load: 1200 kg/2646 lbs.	70.00
20439	Cable pulling grip with loop Ø 60-70 mm	Cable pulling grip Ø 60 - 70 mm/2,3622 - 2,7559 in. with loop and thread RTG Ø 6 mm and 12 mm, stainless steel weave length: 1220 mm/48,0315 in., total breaking load: 1200 kg/2646 lbs.	79.00
20440	Cable pulling grip with loop Ø 70-85 mm	Cable pulling grip Ø 70 - 85 mm/2,7559 - 3,3465 in. with loop and thread RTG Ø 6 mm and 12 mm, stainless steel weave length: 1320 mm/51,9685 in., total breaking load: 1200 kg/2646 lbs.	93.00
20441	Cable pulling grip with loop Ø 85-100 mm	Cable pulling grip Ø 85 - 100 mm/3,3465 - 3,9370 in. with loop and thread RTG Ø 6 mm and 12 mm, stainless steel weave length: 1420 mm/55,9055 in., total breaking load: 1200 kg/2646 lbs.	110.00
20442	Flexible leading head set - RUNPOSTICKS	Flexible leading head-set - RUNPOSTICKS, 13 parts, basalt rod - plastic-coated, stowed in storage bag	99.00
20443	Blind cap set with thread RTG Ø 6 mm	Blind cap set with thread RTG Ø 6 mm, 3 pieces, stainless steel	5.80
20455	Drag rope 0,5 m + magnet, special head	Drag rope 0,5 meter with thread RTG Ø 6 mm with ball magnet (holding force 1,5 kg/3,31 lbs.) and starting head, plastic coated steel cable	17.00
20457	Fiberglass rod Ø 3 mm Set - 2 x 0,5 m	Fiberglass rod Ø 3 mm/0,1181 in. - cable pulling aid for not guided pipelines. Length: 2 x 0,45 m/1,48 ft., thread RTG Ø 6 mm	12.00
20460	RUNPOGLIDER with front thread RTG Ø 6mm	RUNPOGLIDER front thread RTG Ø 6 mm - flexible guide head, with swivel and unscrewable eyelet Ø 7 mm/0,2756 in., breaking load 270 kg/595 lbs.	29.00
20461	Metercounter for reels Ø 730 mm	Metercounter for RUNPOTEC reel Ø 730 mm/28,7402 in. incl mounting set	106.00
20462	Metercounter for reels Ø 1000 mm	Metercounter for RUNPOTEC reel Ø 1000 mm/39,3701 in. incl mounting set	112.00
20468	Functionglider - thread RTG Ø 6 mm	Functionglider - thread RTG Ø 6 mm, incl. blind cap, stainless steel, plastic	20.00
20475	Magnet fishing-set (4-part) 1,5 - 2,9 kg	Magnet fishing-set, thread RTG Ø 6 mm, 4-part, Ø 10 mm/0,3937 in. and 14 mm/0,5512 in., holding force from 1,5 kg - 2,9 kg/3,31 - 6,39 lbs., neodymium magnet	23.00
20476	Magnet fishing-set STRONG 5 kg	Magnet fishing-set STRONG, thread RTG Ø 6 mm, 3-parts, Ø 26 mm/1,0236 in., holding force of 5 kg/11,02 lbs., neodymium magnet	46.00
20481	Endoscope camera probe Ø 9 mm flexible	Endoscope camera probe Ø 9 mm/0,3543 in., flexible gooseneck, Length: 0,80 m/2,62 ft., 4 x LED (dimmable), for RUNPOCAM RC 2	67.00

Distributer:
Daljinsko upravljanje d.o.o.o
B.Smetane 10, HR-10000 Zagreb
Tel: 01/388 6677 i 01/388 0247
E-mail: daljinsko-upravljanje@inet.hr

www.daljinsko-upravljanje.hr

RUNPOTEC CJENIK važaći od 01-03-2023			
Šifra art.	**Opis artikla**	**Detaljni opis artikla**	**Veleprodajna cijena EUR (bez PDV-a)**
20483	RUNPOTEC micro memory card 8 GB	RUNPOTEC micro memory card 8 GB, class 6, incl. adapter and storage case	6.60
20484	Connection thread set - RTG Ø 6 mm	Connection thread set with thread RTG Ø 6 mm, 3 pieces (1 x inside, 1 x outside, 1 x blind cap), stainless steel	9.30
20485	LED-lamp high-performance - 320 lumen	High-performance rechargeable LED-lamp 320 lumen - 2 x thread RTG Ø 6 mm, incl. USB charging cable and battery, aluminium case	46.00
20487	Eyelet-Set Ø 7 mm - RTG Ø 6mm	Eyelet-Set Ø 7 mm/0,2756 in. with thread RTG Ø 6 mm, 3 pieces, stainless steel	9.10
20488	Camera probe Ø 3,9 mm flexible - 1 meter	Camera probe Ø 3,9 mm/0,1535 in. (super slim) - flexible, Length: 1 meter/3,28 ft., 2 x Led (dimmable), for RUNPOCAM RC 2	137.00
20489	Repairing Kit GF15, thread RTG Ø 12 mm	Repairing-Kit GF15 - Ø 15 mm/0,5906 in. with thread RTG Ø 12 mm, 4-parts, stainless steel	172.00
20490	Ending joint GF15, thread RTG Ø 12 mm	Ending joint GF15 - Ø 15 mm/0,5906 in. with thread RTG Ø 12 mm, stainless steel	55.00
20491	Replacement fiberglass rod Ø 15mm-150m	GF15 Replacement fiberglass rod Ø 15 mm/ 0,5909 in., thread RTG Ø 12 mm, cable pulling tool, Length: 150 m/492,13 ft., without steel reel, fiberglass rod breaking load 14500 kg/31967 lbs.	999.00
20492	Replacement fiberglass rod Ø 15mm-200m	GF15 Replacement fiberglass rod Ø 15 mm/ 0,5909 in., thread RTG Ø 12 mm, cable pulling tool, Length: 200 m/656,17 ft., without steel reel, fiberglass rod breaking load 14500 kg/31967 lbs.	1,235.00
20493	Replacement fiberglass rod Ø 15mm-250m	GF15 Replacement fiberglass rod Ø 15 mm/ 0,5909 in., thread RTG Ø 12 mm, cable pulling tool, Length: 250 m/820,21 ft., without steel reel, fiberglass rod breaking load 14500 kg/31967 lbs.	1,500.00
20494	Replacement fiberglass rod Ø 15mm-300m	GF15 Replacement fiberglass rod Ø 15 mm/ 0,5909 in., thread RTG Ø 12 mm, cable pulling tool, Length: 300 m/984,25 ft., without steel reel, fiberglass rod breaking load 14500 kg/31967 lbs.	1,762.00
20495	Replacement fiberglass rod Ø 15mm-350m	GF15 Replacement fiberglass rod Ø 15 mm/ 0,5909 in., thread RTG Ø 12 mm, cable pulling tool, Length: 350 m/1148,29 ft., without steel reel, fiberglass rod breaking load 14500 kg/31967 lbs.	2,020.00
20496	Replacement fiberglass rod Ø 15mm-400m	GF15 Replacement fiberglass rod Ø 15 mm/ 0,5909 in., thread RTG Ø 12 mm, cable pulling tool, Length: 400 m/1312,34 ft., without steel reel, fiberglass rod breaking load 14500 kg/31967 lbs.	2,324.00
20497	Steel reel Ø 1400 mm mobile	Steel reel Ø 1400 mm/55,1181 in. mobile for Ø 15 mm/0,5906 in., incl. metercounter, CDP/powder-coated	1,591.00
20498	Coupling joint GF15	Coupling joint GF15 - Ø 15 mm/0,5906 in., stainless steel	56.00
20509	Attachment flexible 12 cm - RTG Ø 6 mm	Attachment flexible 12 cm/4,7244 in. - thread RTG Ø 6 mm, stainless steel	7.80
20525	Rope reel Ø 770 mm wide	Rope reel Ø 770 mm/30,3150 in. - wide - incl. parking brake, ergonomic handle and solid rubber transport wheels, CDP/powder-coated	330.00
20526	Rope reel Ø 770 mm small	Rope reel Ø 770 mm/30,3150 in. - small - incl. parking brake, ergonomic handle and solid rubber transport wheels, CDP/powder-coated	325.00
20527	Rope reel Ø 514 mm	Rope reel Ø 514 mm/20,2362 in. - incl. parking brake, ergonomic handle, extandable feets and storage compartment, CDP/powder-coated	251.00
20559	Camera probe RC 2 with cable - 50 m	Camera probe RC 2 with cable, Length: 50 m/164,04 ft. on reel, 6 integrated LED (camera head protection rating IP 67), enlcosed in robust stainless steel head, thread RTG Ø 6 mm	335.00
20560	Camera probe RC 2 with cable - 30 m	Camera probe RC 2 with cable, Length: 30 m/98,43 ft. on reel, 6 integrated LED (camera head protection rating IP 67), enlcosed in robust stainless steel head, thread RTG Ø 6 mm	291.00
20562	Replacement fiberglass rod Ø 9mm -150m	GF9 Replacement fiberglass rod Ø 9 mm/0,3543 in., thread RTG Ø 12 mm, cable pulling tool, Length: 150 m/492,13 ft., without steel reel, fiberglass rod breaking load 4500 kg/9921 lbs.	404.00

Distributer:
Daljinsko upravljanje d.o.o.o
B.Smetane 10, HR-10000 Zagreb
Tel: 01/388 6677 i 01/388 0247
E-mail: daljinsko-upravljanje@inet.hr

www.daljinsko-upravljanje.hr

RUNPOTEC CJENIK važaći od 01-03-2023			
Šifra art.	**Opis artikla**	**Detaljni opis artikla**	**Veleprodajna cijena EUR (bez PDV-a)**
20593	Camera probe RC 2 with cable - 10 m	Camera probe RC 2 with cable, Length: 10 m/32,81 ft. on reel, 6 integrated LED (camera head protection rating IP 67), enlcosed in robust stainless steel head, thread RTG Ø 6 mm	208.00
20606	Systemglider RC 2 with thread RTG Ø 6 mm	Systemglider RC 2 with front thread RTG Ø 6 mm, special plastic	21.50
20607	RC thread attachment with RTG Ø 6 mm	Thread attachment RC 2 with thread RTG Ø 6 mm, special plastic	16.50
20608	Camera reel RC 2 - empty	Camera reel RC 2 empty, for RUNPOCAM probe RC2 cable 10 m/32,81 ft., 30 m/98,443 ft. or 50 m/164,04 ft., special plastic	29.00
20609	Support roller 530 - length 53cm	Support roller 530, roller length: 530 mm/20,8661 in., Ø roller 50 mm/1,9685 in., load bearing capacity 215 kg/474 lbs.	29.00
20610	Support roller 670 - length 67cm	Support roller 670, roller length: 670 mm/26,3780 in., Ø roller 50 mm/1,9685 in., load bearing capacity 215 kg/474 lbs.	31.00
20611	RUNPOTEC system case RT2008 insert	RUNPOTEC system case with RT 2008 case insert - PP plastic (impact and shock resistant), stackable with click system	54.00
20612	RUNPOTEC system case RUNPOCAM RC2 insert	RUNPOTEC system case with RUNPOCAM RC 2 case insert - PP plastic (impact and shock resistant), stackable with click system	54.00
20613	RUNPOTEC system case Universal insert	RUNPOTEC system case with UNIVERSAL case insert - PP plastic (impact and shock resistant), stackable with click system	54.00
20614	Fishing hook set - 4 ps./Stainless steel	Fishing hook set with thread RTG Ø 6 mm, 4 pieces, stainless steel	24.00
20615	Pulling rope Ø 12 mm on drum - 150 m	Pulling rope Ø 12 mm/0,4724 in. on drum, Length: 150 m/492,13 ft., polyester-rope, total breaking load: 2180 kg/4806 lbs.	264.00
20616	Pulling rope Ø 12 mm on drum - 200 m	Pulling rope Ø 12 mm/0,4724 in. on drum, Length: 200 m/656,17 ft., polyester-rope, total breaking load: 2180 kg/4806 lbs.	346.00
20617	Pulling rope Ø 12 mm on drum - 300 m	Pulling rope Ø 12 mm/0,4724 in. on drum, Length: 300 m/984,25 ft., polyester-rope, total breaking load: 2180 kg/4806 lbs.	495.00
20618	Pulling rope Ø 12 mm on drum - 350 m	Pulling rope Ø 12 mm/0,4724 in. on drum, Length: 350 m/1148,29 ft., polyester-rope, total breaking load: 2180 kg/4806 lbs.	578.00
20619	Pulling rope Ø 10 mm on drum - 120 m	Pulling rope Ø 10 mm/0,3937 in. on drum, Length: 120 m/393,70 ft., polyester-rope, total breaking load: 1640 kg/3616 lbs.	173.00
20620	Pulling rope Ø 10 mm on drum - 200 m	Pulling rope Ø 10 mm/0,3937 in. on drum, Length: 200 m/656,17 ft., polyester-rope, total breaking load: 1640 kg/3616 lbs.	254.00
20621	Pulling rope Ø 8 mm on drum - 120 m	Pulling rope Ø 8 mm/0,3150 in. on drum, Length: 120 m/393,70 ft., polyester-rope, total breaking load: 1100 kg/2425 lbs.	127.00
20622	Steel trolley mounting rail	Trolley mounting rail, transport and mounting rail, steel galvanised	139.00
20623	Castors with parking brakes - set of 4	Castors with parking brake, set of 4, plastic wheels, load bearing capacita 215 kg/474 lbs. (complete cable drum roller system)	73.00
20624	RUNPOFIX with thread - Ø 14 mm outer	RUNPOFIX with thread RTG Ø 6 mm - cable pulling loop with protective cap, Ø 14 mm/0,5512 in. outside, stainless steel rope Ø 1,5 mm/0,0591 in., total breaking load 100 kg/220 lbs.	14.00
20625	RUNPOFIX with thread - Ø 17 mm outer	RUNPOFIX with thread RTG Ø 6 mm - cable pulling loop with protective cap, Ø 17 mm/0,6693 in. outside, stainless steel rope Ø 1,5 mm/0,0591 in., total breaking load 100 kg/220 lbs.	14.50
20626	RUNPOFIX with thread - Ø 23 mm outer	RUNPOFIX with thread RTG Ø 6 mm - cable pulling loop with protective cap, Ø 23 mm/0,9055 in. outside, stainless steel rope Ø 1,5 mm/0,0591 in., total breaking load 100 kg/220 lbs.	15.00

Distributer:
Daljinsko upravljanje d.o.o.o
B.Smetane 10, HR-10000 Zagreb
Tel: 01/388 6677 i 01/388 0247
E-mail: daljinsko-upravljanje@inet.hr

www.daljinsko-upravljanje.hr

daljinsko upravljanje

RUNPOTEC
STRONGEST CABLE PULLING

RUNPOTEC CJENIK važaći od 01-03-2023			
Šifra art.	**Opis artikla**	**Detaljni opis artikla**	**Veleprodajna cijena EUR (bez PDV-a)**
20627	RUNPOFIX with thread - Ø 30 mm outer	RUNPOFIX with thread RTG Ø 6 mm - cable pulling loop with protective cap, Ø 30 mm/1,1811 in. outside, stainless steel rope Ø 1,5 mm/0,0591 in., total breaking load 100 kg/220 lbs.	15.50
20628	RUNPOFIX with hook - Ø 14 mm outer	RUNPOFIX with hook - cable pulling loop with protective cap, Ø 14 mm/0,5512 in. outside, stainless steel rope Ø 1,5 mm/0,0591 in., total breaking load 100 kg/220 lbs.	14.00
20629	RUNPOFIX with hook - Ø 17 mm outer	RUNPOFIX with hook - cable pulling loop with protective cap, Ø 17 mm/0,6693 in. outside, stainless steel rope Ø 1,5 mm/0,0591 in., total breaking load 100 kg/220 lbs.	14.50
20630	RUNPOFIX with hook - Ø 23 mm outer	RUNPOFIX with hook - cable pulling loop with protective cap, Ø 23 mm/0,9055 in. outside, stainless steel rope Ø 1,5 mm/0,0591 in., total breaking load 100 kg/220 lbs.	15.00
20631	RUNPOFIX with hook - Ø 30 mm outer	RUNPOFIX with hook - cable pulling loop with protective cap, Ø 30 mm/1,1811 in. outside, stainless steel rope Ø 1,5 mm/0,0591 in., total breaking load 100 kg/220 lbs.	15.50
20632	X BOARD mandrel	X BOARD mandrel - for profi-cable roller XB 300 and XB 500, special plastic, Ø 45 mm/1,7717 in.	10.00
20646	Run-out roller set (4 roller)	Run-out roller set for reel Ø 730 mm/28,7402 in and 1000 mm/39,3701 in., incl. fixing screws	31.00
20657	Capstan head DM 110	Capstan head DM 110 - for capstan winch CW800E, high strength aluminium, Ø 110 mm/4,3307 in., tension load 400 kg/882 lbs.	190.00
20658	Capstan head DM 55	Capstan head DM 55 - for capstan winch CW800E, high strength aluminium, Ø 55 mm/2,1654 in., tension load 800 kg/1764 lbs.	157.00
20661	Cable pulling grip with loop Ø 10-15 mm	Cable pulling grip Ø 10 - 15 mm/0,3937 - 0,5906 in. with loop CW, double-steel weave length: 600 mm/23,6220 in., total breaking load: 1019 kg/2247 lbs.	40.00
20662	Cable pulling grip Ø 15-20mm with loop	Cable pulling grip Ø 15 - 20 mm/0,5906 - 0,7874 in. with loop CW, double-steel weave length: 600 mm/23,6220 in., total breaking load: 2080 kg/4586 lbs.	42.00
20663	Cable pulling grip with loop Ø 20-25 mm	Cable pulling grip Ø 20 - 25 mm/0,7874 - 0,9843 in. with loop CW, double-steel weave length: 600 mm/23,6220 in., total breaking load: 2080 kg/4586 lbs.	43.00
20664	Cable pulling grip with loop Ø 25-30 mm	Cable pulling grip Ø 25 - 30 mm/0,9843 - 1,1811 in. with loop CW, double-steel weave length: 1000 mm, total breaking load: 2080 kg/4586 lbs.	47.00
20665	Cable pulling grip with loop Ø 30-40 mm	Cable pulling grip Ø 30 - 40 mm/1,1811 - 1,5748 in. with loop CW, double-steel weave length: 1250 mm/49,2126 in., total breaking load: 3059 kg/6744 lbs.	53.00
20666	Cable pulling grip with loop Ø 40-50 mm	Cable pulling grip Ø 40 - 50 mm/1,5748 - 1,9685 in. with loop CW, double-steel weave length: 1250 mm/49,2126 in., total breaking load: 4078 kg/8990 lbs.	58.00
20667	Cable pulling grip with loop Ø 50-60 mm	Cable pulling grip Ø 50 - 60 mm/1,9685 - 2,3622 in. with loop CW, double-steel weave length: 1500 mm/59,0551 in., total breaking load: 4996 kg/11014 lbs.	68.00
20668	Cable pulling grip with loop Ø 60-70 mm	Cable pulling grip Ø 60 - 70 mm/2,3622 - 2,7559 in. with loop CW, double-steel weave length: 1500 mm/59,0551 in., total breaking load: 4996 kg/11014 lbs.	80.00
20669	Cable pulling grip with loop Ø 70-85 mm	Cable pulling grip Ø 70 - 85 mm/2,7559 - 3,3465 in. with loop CW, double-steel weave length: 1500 mm/59,0551 in., total breaking load: 4996 kg/11014 lbs.	93.00
20670	Cable pulling grip with loop Ø 85-100 mm	Cable pulling grip Ø 85 - 100 mm/3,3465 - 3,9370 in. with loop CW, double-steel weave length: 1500 mm/59,0551, total breaking load: 5812 kg/12813 lbs.	106.00
20692	Drum shaft - Length 1150 mm	Drum shaft - Length 1150 mm/45,2756 in., heavy duty plain bearings on both sides and stainless steel security mount, Ø 54 mm/2,1260 in., max. drum width 800 mm/31,4961 in., load capacity 4500 kg/9921 lbs. (only in combination with RUNPOLIFTER 4500)	504.00
20693	Drum shaft - Length 1150 mm	Drum shaft - Length 1150 mm/45,2756 in., heavy duty plain bearings on both sides and Stainless steel security mount, Ø 54 mm/2,1260 in., max. drum width 1000 mm/39,3701 in., load capacity 4500 kg/9921 lbs. (only in combination with RUNPOLIFTER 4500)	546.00

Distributer:
Daljinsko upravljanje d.o.o.o
B.Smetane 10, HR-10000 Zagreb
Tel: 01/388 6677 i 01/388 0247
E-mail: daljinsko-upravljanje@inet.hr

www.daljinsko-upravljanje.hr

RUNPOTEC CJENIK važaći od 01-03-2023			
Šifra art.	**Opis artikla**	**Detaljni opis artikla**	**Veleprodajna cijena EUR (bez PDV-a)**
20694	Drum shaft - Length 1150 mm	Drum shaft - Length 1150 mm/62,9921 in., heavy duty plain bearings on both sides and Stainless steel security mount, Ø 54 mm/2,1260 in., max. drum width 1250 mm/49,2126 in., load capacity 4500 kg/9921 lbs. (only in combination with RUNPOLIFTER 4500)	588.00
20696	Attachment Multifunction mandrel	Multifunction mandrel - attachment for X BOARD XB 300 und XB 500, special plastic, Ø 72 mm/2,8346 in.	53.00
20706	Belt with Clip system+connect. pad 120cm	Belt with clip system and connecting pad, belt length 1200 mm/47,2441 in., 2-part	33.00
20707	Sliding jaw RM35 Set - 4-part	Sliding jaw set RM35 - 4-part	13.00
20708	RUNPOTEC system case RM35 insert	RUNPOTEC system case with RUNPOMETER RM35 case insert - PP plastic (impact and shock resistant), stackable with click system	54.00
20711	RUNPOLIFTER 4500 transport wheels -4pcs.	RUNPOLIFTER 4500 transport wheels, 4 pieces, solid rubber wheels Ø 125 mm/4,9213 in. in high quality stainless steel housing	135.00
20714	Belt with Clip system+connect. pad 240cm	Belt with clip system and connecting pad, belt length 2400 mm/94,4882 in., 2-part	38.00
20738	Guide jaws RM35 - 4-part	Guide jaws RM35 (grey Ø 12 mm/0,4724 in. / 18 mm/0,7087 in. - red Ø 6 mm/0,2362 in. 24 mm/0,9449 in.), 4-part, Special plastic tape	17.00
20739	Mounting plate - system case RM35	Mounting plate - system case for RUNPOMETER RM35, Special plastic tape	39.00
20816	Replacement fiberglass GF3 Ø 3 mm - 20 m	Replacement fiberglass GF3 - cable pulling tool, Length: 20 m/65,62 ft., fiberglass rod Ø 3 mm/0,1181 in. with RUNPOTEC thread RTG Ø 6 mm without box, total breaking load 130 kg/287 lbs.	46.50
20817	Replacement fiberglass GF3 Ø 3 mm - 30 m	Replacement fiberglass GF3 - cable pulling tool, Length: 30 m/98,43 ft., fiberglass rod Ø 3 mm/0,1181 in. with RUNPOTEC thread RTG Ø 6 mm without box, total breaking load 130 kg/287 lbs.	54.60
20818	Replacement fiberglass GF3 Ø 3 mm - 50 m	Replacement fiberglass GF3 - cable pulling tool, Length: 50 m/164,04 ft., fiberglass rod Ø 3 mm/0,1181 in. with RUNPOTEC thread RTG Ø 6 mm without box, total breaking load 130 kg/287 lbs.	66.00
20819	Repairing Kit GF3, thread RTG Ø 6 mm	Repairing-Kit GF3 - Ø 3 mm/0,1181 in. with thread RTG Ø 6 mm, 15-parts, stainless steel	36.80
20824	Adhesive joint Set GF3 - Ø 3mm, 6 pieces	Adhesive joint Set GF3 - Ø 3 mm/0,1181 in., 6 pieces, brass	6.00
20825	Mounting key Set GF3 (2 pieces)	Mounting key Set GF3 - 2 pieces, stainless steel	4.20
20826	Guiding head w. kink protection Set GF3	Guiding head with kink protection-Set GF3 Ø 3 mm/0,1181 in. with thread RTG Ø 6 mm, 5-part, stainless steel	30.50
20829	Starting head Ø 11 mm with RTG Ø 6 mm	Starting head Ø 11 mm/0,4331 in. with thread RTG Ø 6 mm, stainless steel	4.00
30009	Storage bag for RUNPOSTICKS	Storage bag for RUNPOSTICKS incl. shoulder strap	22.00
30010	Metal spiral Ø 4 mm - 10 m	Metal spiral Ø 4 mm/0,1575 in. - cable pulling aid, Length: 10 m/32,81 ft., without box, total breaking load 120 kg/265 lbs.	14.00
30011	Metal spiral Ø 4 mm - 15 m	Metal spiral Ø 4 mm/0,1575 in. - cable pulling aid, Length: 15 m/49,21 ft., without box, total breaking load 120 kg/265 lbs.	21.00
30012	Metal spiral Ø 4 mm - 20 m	Metal spiral Ø 4 mm/0,1575 in. - cable pulling aid, Length: 20 m/65,62 ft., without box, total breaking load 120 kg/265 lbs.	26.00
30013	Metal spiral Ø 4 mm - 25 m	Metal spiral Ø 4 mm/0,1575 in. - cable pulling aid, Length: 25 m/82,02 ft., without box, total breaking load 120 kg/265 lbs.	32.00
30014	Metal spiral Ø 4 mm - 30 m	Metal spiral Ø 4 mm/0,1575 in. - cable pulling aid, Length: 30 m/98,43 ft., without box, total breaking load 120 kg/265 lbs.	39.00
30017	RUNPOGLIDER Spirale MET Ø 4 mm - 10 m	RUNPOGLIDER Spirale MET, cable pulling fish tape, Length: 10 m/32,81 ft., metal spiral Ø 4 mm/0,1575 in., without box, 170 kg /375 lbs. total breaking load	26.00
30018	RUNPOGLIDER Spirale MET Ø 4 mm - 15 m	RUNPOGLIDER Spirale MET, cable pulling fish tape, Length: 15 m/49,21 ft., metal spiral Ø 4 mm/0,1575 in., without box, 170 kg/375 lbs. total breaking load	34.00
30019	RUNPOGLIDER Spirale MET Ø 4 mm - 20 m	RUNPOGLIDER Spirale MET, cable pulling fish tape, Length: 20 m/65,62 ft., metal spiral Ø 4 mm/0,1575 in., without box, 170 kg/375 lbs. total breaking load	42.00

Distributer:
Daljinsko upravljanje d.o.o.o
B.Smetane 10, HR-10000 Zagreb
Tel: 01/388 6677 i 01/388 0247
E-mail: daljinsko-upravljanje@inet.hr

www.daljinsko-upravljanje.hr

daljinsko upravljanje

RUNPOTEC
STRONGEST CABLE PULLING

RUNPOTEC CJENIK važaći od 01-03-2023			
Šifra art.	**Opis artikla**	**Detaljni opis artikla**	**Veleprodajna cijena EUR (bez PDV-a)**
30020	RUNPOGLIDER Spirale MET Ø 4 mm - 25 m	RUNPOGLIDER Spirale MET, cable pulling fish tape, Length: 25 m/82,02 ft., metal spiral Ø 4 mm/0,1575 in., without box, 170 kg/375 lbs. total breaking load	50.00
30021	RUNPOGLIDER Spirale MET Ø 4 mm - 30 m	RUNPOGLIDER Spirale MET, cable pulling fish tape, Length: 30 m/98,43 ft., metal spiral Ø 4 mm/0,1575 in., without box, 170 kg/375 lbs. total breaking load	54.00
30027	RUNPO 1 - plastic fish tape Ø 4 mm - 5 m	RUNPO 1 - cable pulling tape, Length: 5 m/16,40 ft., special plastic fish tape Ø 4 mm/0,1575 in., without box, 170 kg/375 lbs. total breaking load	16.60
30028	RUNPO 1 - plastic fish tape Ø 4 mm - 10m	RUNPO 1 - cable pulling tape, Length: 10 m/32,81 ft., special plastic fish tape Ø 4 mm/0,1575 in., without box, 170 kg/375 lbs. total breaking load	17.90
30029	RUNPO 1 - plastic fish tape Ø 4 mm - 15m	RUNPO 1 - cable pulling tape, Length: 15 m/49,21 ft., special plastic fish tape Ø 4 mm/0,1575 in., without box, 170 kg/375 lbs. total breaking load	21.50
30030	RUNPO 1 - plastic fish tape Ø 4 mm - 20m	RUNPO 1 - cable pulling tape, Length: 20 m/65,62 ft., special plastic fish tape Ø 4 mm/0,1575 in., without box, 170 kg/375 lbs. total breaking load	25.00
30039	Cable pulling grip with loop Ø 4 - 6 mm	Cable pulling grip Ø 4 - 6 mm/0,1575 - 0,2362 in. with loop, flexible stainless steel wire weave length: 270 mm/10,6299 in., total breaking load: 200 kg/441 lbs.	21.00
30040	Cable pulling grip with loop Ø 6 - 9 mm	Cable pulling grip Ø 6 - 9 mm/0,2362 - 0,35343 in. with loop, flexible stainless steel wire weave length: 290 mm/11,4173 in., total breaking load: 200 kg/441 lbs.	23.00
30041	Cable pulling grip with loop Ø 9 - 13 mm	Cable pulling grip Ø 9 - 13 mm/0,3543 - 0,5118 in. with loop, flexible stainless steel wire weave length: 390 mm/15,3543 in., total breaking load: 200 kg/441 lbs.	35.00
30042	RUNPO 1 - plastic fish tape Ø 4 mm - 25m	RUNPO 1 - cable pulling tape, Length: 25 m/82,02 ft., special plastic fish tape Ø 4 mm/0,1575 in., without box, 170 kg/375 lbs. total breaking load	29.60
30043	RUNPO 1 - plastic fish tape Ø 4 mm - 30m	RUNPO 1 - cable pulling tape, Length: 30 m/98,43 ft., special plastic fish tape Ø 4 mm/0,1575 in., without box, 170 kg/375 lbs. total breaking load	34.30
30050	Special glue 3 g	Special glue 3 g, 1-component adhesive	8.20
30054	RUNPOGLIDER Spirale MET Ø 4 mm - 5 m	RUNPOGLIDER Spirale MET, cable pulling fish tape, Length: 5 m/16,40 ft., metal spiral Ø 4 mm/0,1575 in., without box, 170 kg/375 lbs. total breaking load	19.00
30063	Cable lubricant liquid 1000 ml	Cable lubricant liquid, 1000 ml, non-flammable	7.40
30067	2 components special glue 24 ml	2 components special glue 24 ml, 2-component adhesive	20.00
30070	Pulling grip for fiberglass rod Ø 3-12mm	Pulling grip - for fiberglass rod Ø 3 - 12 mm/0,1181 - 0,4724 in., non-slip rubber	6.20
30146	RUNPO 5 - empty box	RUNPO 5 - empty box, for cable pulling fish tape - RUNPO 5	35.00
30208	Eyelet Ø 8 mm with RTG Ø 6 mm	Eyelet Ø 8 mm/0,3150 in. with thread RTG Ø 6 mm, stainless steel	4.80
30210	Connection thread with thread RTG Ø 6 mm	Connection thread with RTG Ø 6 mm thread on both sides, stainless steel	4.20
30236	Eyelet incl. ring - RTG Ø 6mm	Eyelet incl. ring with thread RTG Ø 6 mm, stainless steel	5.30
30239	Stainless steel sliding hook - RTG Ø 6mm	Special sliding hook with thread RTG Ø 6 mm, stainless steel	20.20